



MCHEN MACHINE PARTS CO.,LTD





企业简介

Company Profile



MCHEN MACHINE PARTS CO.,LTD,was founded 2008 Has several years experience in producing stainless steel/carbon steel/alloy steel products/rubber products.We have always adhered to the business policy of "Quality for Survival, Product for Development, Credibility for Cooperation and Service for Customers". We are pleased to find new partners and hope to establish longterm business relationships with you based on mutual benefits

Our products have been exported to many countries and regions in Europe,North America,South America,Middle East and Asia

Welcome to win the market together!



Camlocks are often referred to as Cam and Groove Couplings. This is because they are engineered with grooves that allow the various styles to fit together creating a tight seal. Their simple structure and easy operation make them very popular. Camlocks are connected by simply opening the coupler arms and inserting the adaptor into the coupler. As the arms are pushed down to the sides, the two connectors are forced tightly together creating the bonded seal on an internal gasket.

Camlocks come in a variety of materials: stainless steel, aluminum, brass, polypropylene, nylon.

Standard

1. MIL A-A-59326

Cam & Groove couplings are made in compliance with A-A-59326 (old version called MIL-C-27487) specification.

2. EN14420-7 (DIN2828)

The European standard EN 14420-7:2004 replaces DIN 2828, which was applied to cam & groove couplings manufactured to A-A-59326A. A flat thread seal has been added to the female threaded parts, and a smooth hose shank has been added for assembly with DIN 2817 safety clamps.

Size

Stainless steel: 1/2" to 6"

Aluminum: 1/2" to 6"

Brass: 1/2" to 6"

PP: 1/2" to 4"

Nylon: 1/2" to 4"



Material

1. Stainless steel AISI316/AISI304 by investment casting
2. Aluminium by gravity casting
3. Brass CW614N by forging
4. Polypropylene
5. Nylon

Features

1. Handles are made of stainless steel AISI 304 as a standard.
2. Camlock are capable of transporting liquids, solids and gases, except liquid gas and steam.
3. Coupling with multi-serrated hose shank & collar are available on customer's request.

Gaskets Material:

- NBR
- EPDM
- Viton
- Silicon

Thread:

- NPT
- BSP (female BSPP & male BSPT)
- DIN2999



Working Pressure

Size (inch)	1/2"	3/4"-2"	2-1/2"	3"	4"- 6"
Working Pressure (PSI)	150 PSI	250 PSI	225 PSI	200 PSI	100 PSI

不锈钢快速接头 **Type A**
STAINLESS STEEL CAMLOCK COUPLING
Male Adapter X Female Thread



Name	Size
A050-SS	1/2"
A075-SS	3/4"
A100-SS	1"
A125-SS	1 1/4"
A150-SS	1 1/2"
A200-SS	2"
A250-SS	2 1/2"
A300-SS	3"
A400-SS	4"
A500-SS	5"
A600-SS	6"

不锈钢快速接头 **Type E**
STAINLESS STEEL CAMLOCK COUPLING
Male Adapter X Hose Shank



Name	Size
E050-SS	1/2"
E075-SS	3/4"
E100-SS	1"
E125-SS	1 1/4"
E150-SS	1 1/2"
E200-SS	2"
E250-SS	2 1/2"
E300-SS	3"
E400-SS	4"
E500-SS	5"
E600-SS	6"

不锈钢快速接头 **Type B**
STAINLESS STEEL CAMLOCK COUPLING
Female Coupler X Male Thread



Name	Size
B050-SS	1/2"
B075-SS	3/4"
B100-SS	1"
B125-SS	1 1/4"
B150-SS	1 1/2"
B200-SS	2"
B250-SS	2 1/2"
B300-SS	3"
B400-SS	4"
B500-SS	5"
B600-SS	6"

不锈钢快速接头 **Type F**
STAINLESS STEEL CAMLOCK COUPLING
Male Adapter X Male Thread



Name	Size
F050-SS	1/2"
F075-SS	3/4"
F100-SS	1"
F125-SS	1 1/4"
F150-SS	1 1/2"
F200-SS	2"
F250-SS	2 1/2"
F300-SS	3"
F400-SS	4"
F500-SS	5"
F600-SS	6"

不锈钢快速接头 **Type C**
STAINLESS STEEL CAMLOCK COUPLING
Female Coupler X Hose Shank



Name	Size
C050-SS	1/2"
C075-SS	3/4"
C100-SS	1"
C125-SS	1 1/4"
C150-SS	1 1/2"
C200-SS	2"
C250-SS	2 1/2"
C300-SS	3"
C400-SS	4"
C500-SS	5"
C600-SS	6"

不锈钢快速接头 **Type DC**
STAINLESS STEEL CAMLOCK COUPLING
Dust Cap



Name	Size
DC050-SS	1/2"
DC075-SS	3/4"
DC100-SS	1"
DC125-SS	1 1/4"
DC150-SS	1 1/2"
DC200-SS	2"
DC250-SS	2 1/2"
DC300-SS	3"
DC400-SS	4"
DC500-SS	5"
DC600-SS	6"

不锈钢快速接头 **Type D**
STAINLESS STEEL CAMLOCK COUPLING
Female Coupler X Female Thread



Name	Size
D050-SS	1/2"
D075-SS	3/4"
D100-SS	1"
D125-SS	1 1/4"
D150-SS	1 1/2"
D200-SS	2"
D250-SS	2 1/2"
D300-SS	3"
D400-SS	4"
D500-SS	5"
D600-SS	6"

不锈钢快速接头 **Type DP**
STAINLESS STEEL CAMLOCK COUPLING
Dust Plug



Name	Size
DP050-SS	1/2"
DP075-SS	3/4"
DP100-SS	1"
DP125-SS	1 1/4"
DP150-SS	1 1/2"
DP200-SS	2"
DP250-SS	2 1/2"
DP300-SS	3"
DP400-SS	4"
DP500-SS	5"
DP600-SS	6"

铝合金快速接头 **Type A**

ALUMINUM CAMLOCK COUPLING
Male Adapter X Female Thread



Name	Size
A050-AL	1/2"
A075-AL	3/4"
A100-AL	1"
A125-AL	1 1/4"
A150-AL	1 1/2"
A200-AL	2"
A250-AL	2 1/2"
A300-AL	3"
A400-AL	4"
A500-AL	5"
A600-AL	6"

铝合金快速接头 **Type E**

ALUMINUM CAMLOCK COUPLING
Male Adapter X Hose Shank



Name	Size
E050-AL	1/2"
E075-AL	3/4"
E100-AL	1"
E125-AL	1 1/4"
E150-AL	1 1/2"
E200-AL	2"
E250-AL	2 1/2"
E300-AL	3"
E400-AL	4"
E500-AL	5"
E600-AL	6"

铝合金快速接头 **Type B**

ALUMINUM CAMLOCK COUPLING
Female Coupler X Male Thread



Name	Size
B050-AL	1/2"
B075-AL	3/4"
B100-AL	1"
B125-AL	1 1/4"
B150-AL	1 1/2"
B200-AL	2"
B250-AL	2 1/2"
B300-AL	3"
B400-AL	4"
B500-AL	5"
B600-AL	6"

铝合金快速接头 **Type F**

ALUMINUM CAMLOCK COUPLING
Male Adapter X Male Thread



Name	Size
F050-AL	1/2"
F075-AL	3/4"
F100-AL	1"
F125-AL	1 1/4"
F150-AL	1 1/2"
F200-AL	2"
F250-AL	2 1/2"
F300-AL	3"
F400-AL	4"
F500-AL	5"
F600-AL	6"

铝合金快速接头 **Type C**

ALUMINUM CAMLOCK COUPLING
Female Coupler X Hose Shank



Name	Size
C050-AL	1/2"
C075-AL	3/4"
C100-AL	1"
C125-AL	1 1/4"
C150-AL	1 1/2"
C200-AL	2"
C250-AL	2 1/2"
C300-AL	3"
C400-AL	4"
C500-AL	5"
C600-AL	6"

铝合金快速接头 **Type DC**

ALUMINUM CAMLOCK COUPLING
Dust Cap



Name	Size
DC050-AL	1/2"
DC075-AL	3/4"
DC100-AL	1"
DC125-AL	1 1/4"
DC150-AL	1 1/2"
DC200-AL	2"
DC250-AL	2 1/2"
DC300-AL	3"
DC400-AL	4"
DC500-AL	5"
DC600-AL	6"

铝合金快速接头 **Type D**

ALUMINUM CAMLOCK COUPLING
Female Coupler X Female Thread



Name	Size
D050-AL	1/2"
D075-AL	3/4"
D100-AL	1"
D125-AL	1 1/4"
D150-AL	1 1/2"
D200-AL	2"
D250-AL	2 1/2"
D300-AL	3"
D400-AL	4"
D500-AL	5"
D600-AL	6"

铝合金快速接头 **Type DP**

ALUMINUM CAMLOCK COUPLING
Dust Plug



Name	Size
DP050-AL	1/2"
DP075-AL	3/4"
DP100-AL	1"
DP125-AL	1 1/4"
DP150-AL	1 1/2"
DP200-AL	2"
DP250-AL	2 1/2"
DP300-AL	3"
DP400-AL	4"
DP500-AL	5"
DP600-AL	6"

黄铜快速接头 **Type A**

BRASS CAMLOCK COUPLING
Male Adapter X Female Thread



Name	Size
A050-BR	1/2"
A075-BR	3/4"
A100-BR	1"
A125-BR	1 1/4"
A150-BR	1 1/2"
A200-BR	2"
A250-BR	2 1/2"
A300-BR	3"
A400-BR	4"
A500-BR	5"
A600-BR	6"

黄铜快速接头 **Type E**

BRASS CAMLOCK COUPLING
Male Adapter X Hose Shank



Name	Size
E050-BR	1/2"
E075-BR	3/4"
E100-BR	1"
E125-BR	1 1/4"
E150-BR	1 1/2"
E200-BR	2"
E250-BR	2 1/2"
E300-BR	3"
E400-BR	4"
E500-BR	5"
E600-BR	6"

黄铜快速接头 **Type B**

BRASS CAMLOCK COUPLING
Female Coupler X Male Thread



Name	Size
B050-BR	1/2"
B075-BR	3/4"
B100-BR	1"
B125-BR	1 1/4"
B150-BR	1 1/2"
B200-BR	2"
B250-BR	2 1/2"
B300-BR	3"
B400-BR	4"
B500-BR	5"
B600-BR	6"

黄铜快速接头 **Type F**

BRASS CAMLOCK COUPLING
Male Adapter X Male Thread



Name	Size
F050-BR	1/2"
F075-BR	3/4"
F100-BR	1"
F125-BR	1 1/4"
F150-BR	1 1/2"
F200-BR	2"
F250-BR	2 1/2"
F300-BR	3"
F400-BR	4"
F500-BR	5"
F600-BR	6"

黄铜快速接头 **Type C**

BRASS CAMLOCK COUPLING
Female Coupler X Hose Shank



Name	Size
C050-BR	1/2"
C075-BR	3/4"
C100-BR	1"
C125-BR	1 1/4"
C150-BR	1 1/2"
C200-BR	2"
C250-BR	2 1/2"
C300-BR	3"
C400-BR	4"
C500-BR	5"
C600-BR	6"

黄铜快速接头 **Type DC**

BRASS CAMLOCK COUPLING
Dust Cap



Name	Size
DC050-BR	1/2"
DC075-BR	3/4"
DC100-BR	1"
DC125-BR	1 1/4"
DC150-BR	1 1/2"
DC200-BR	2"
DC250-BR	2 1/2"
DC300-BR	3"
DC400-BR	4"
DC500-BR	5"
DC600-BR	6"

黄铜快速接头 **Type D**

STAINLESS STEEL CAMLOCK COUPLING
Female Coupler X Female Thread



Name	Size
D050-BR	1/2"
D075-BR	3/4"
D100-BR	1"
D125-BR	1 1/4"
D150-BR	1 1/2"
D200-BR	2"
D250-BR	2 1/2"
D300-BR	3"
D400-BR	4"
D500-BR	5"
D600-BR	6"

黄铜快速接头 **Type DP**

STAINLESS STEEL CAMLOCK COUPLING
Dust Plug



Name	Size
DP050-BR	1/2"
DP075-BR	3/4"
DP100-BR	1"
DP125-BR	1 1/4"
DP150-BR	1 1/2"
DP200-BR	2"
DP250-BR	2 1/2"
DP300-BR	3"
DP400-BR	4"
DP500-BR	5"
DP600-BR	6"

PP 快速接头 **Type A**

PP CAMLOCK COUPLING
Male Adapter X Female Thread



Name	Size
A050-PP	1/2"
A075-PP	3/4"
A100-PP	1"
A125-PP	1 1/4"
A150-PP	1 1/2"
A200-PP	2"
A250-PP	2 1/2"
A300-PP	3"
A400-PP	4"

PP 快速接头 **Type E**

PP CAMLOCK COUPLING
Male Adapter X Hose Shank



Name	Size
E050-PP	1/2"
E075-PP	3/4"
E100-PP	1"
E125-PP	1 1/4"
E150-PP	1 1/2"
E200-PP	2"
E250-PP	2 1/2"
E300-PP	3"
E400-PP	4"

PP 快速接头 **Type B**

PP CAMLOCK COUPLING
Female Coupler X Male Thread



Name	Size
B050-SS	1/2"
B075-SS	3/4"
B100-SS	1"
B125-SS	1 1/4"
B150-SS	1 1/2"
B200-SS	2"
B250-SS	2 1/2"
B300-SS	3"
B400-SS	4"

PP 快速接头 **Type F**

PP CAMLOCK COUPLING
Male Adapter X Male Thread



Name	Size
F050-SS	1/2"
F075-SS	3/4"
F100-SS	1"
F125-SS	1 1/4"
F150-SS	1 1/2"
F200-SS	2"
F250-SS	2 1/2"
F300-SS	3"
F400-SS	4"

PP 快速接头 **Type C**

PP CAMLOCK COUPLING
Female Coupler X Hose Shank



Name	Size
C050-PP	1/2"
C075-PP	3/4"
C100-PP	1"
C125-PP	1 1/4"
C150-PP	1 1/2"
C200-PP	2"
C250-PP	2 1/2"
C300-PP	3"
C400-PP	4"

PP 快速接头 **Type DC**

PP CAMLOCK COUPLING
Dust Cap



Name	Size
DC050-PP	1/2"
DC075-PP	3/4"
DC100-PP	1"
DC125-PP	1 1/4"
DC150-PP	1 1/2"
DC200-PP	2"
DC250-PP	2 1/2"
DC300-PP	3"
DC400-PP	4"

PP 快速接头 **Type D**

PP CAMLOCK COUPLING
Female Coupler X Female Thread



Name	Size
D050-PP	1/2"
D075-PP	3/4"
D100-PP	1"
D125-PP	1 1/4"
D150-PP	1 1/2"
D200-PP	2"
D250-PP	2 1/2"
D300-PP	3"
D400-PP	4"

PP 快速接头 **Type DP**

PP CAMLOCK COUPLING
Dust Plug



Name	Size
DP050-PP	1/2"
DP075-PP	3/4"
DP100-PP	1"
DP125-PP	1 1/4"
DP150-PP	1 1/2"
DP200-PP	2"
DP250-PP	2 1/2"
DP300-PP	3"
DP400-PP	4"

尼龙快速接头 **Type A**

NYLON CAMLOCK COUPLING
Male Adapter X Female Thread



Name	Size
A050-NYLON	1/2"
A075-NYLON	3/4"
A100-NYLON	1"
A125-NYLON	1 1/4"
A150-NYLON	1 1/2"
A200-NYLON	2"
A250-NYLON	2 1/2"
A300-NYLON	3"
A400-NYLON	4"

尼龙快速接头 **Type E**

NYLON CAMLOCK COUPLING
Male Adapter X Hose Shank



Name	Size
E050-NYLON	1/2"
E075-NYLON	3/4"
E100-NYLON	1"
E125-NYLON	1 1/4"
E150-NYLON	1 1/2"
E200-NYLON	2"
E250-NYLON	2 1/2"
E300-NYLON	3"
E400-NYLON	4"

尼龙快速接头 **Type B**

NYLON CAMLOCK COUPLING
Female Coupler X Male Thread



Name	Size
B050-NYLON	1/2"
B075-NYLON	3/4"
B100-NYLON	1"
B125-NYLON	1 1/4"
B150-NYLON	1 1/2"
B200-NYLON	2"
B250-NYLON	2 1/2"
B300-NYLON	3"
B400-NYLON	4"

尼龙快速接头 **Type F**

NYLON CAMLOCK COUPLING
Male Adapter X Male Thread



Name	Size
F050-NYLON	1/2"
F075-NYLON	3/4"
F100-NYLON	1"
F125-NYLON	1 1/4"
F150-NYLON	1 1/2"
F200-NYLON	2"
F250-NYLON	2 1/2"
F300-NYLON	3"
F400-NYLON	4"

尼龙快速接头 **Type C**

NYLON CAMLOCK COUPLING
Female Coupler X Hose Shank



Name	Size
C050-NYLON	1/2"
C075-NYLON	3/4"
C100-NYLON	1"
C125-NYLON	1 1/4"
C150-NYLON	1 1/2"
C200-NYLON	2"
C250-NYLON	2 1/2"
C300-NYLON	3"
C400-NYLON	4"

尼龙快速接头 **Type DC**

NYLON CAMLOCK COUPLING
Dust Cap



Name	Size
DC050-NYLON	1/2"
DC075-NYLON	3/4"
DC100-NYLON	1"
DC125-NYLON	1 1/4"
DC150-NYLON	1 1/2"
DC200-NYLON	2"
DC250-NYLON	2 1/2"
DC300-NYLON	3"
DC400-NYLON	4"

尼龙快速接头 **Type D**

NYLON CAMLOCK COUPLING
Female Coupler X Female Thread



Name	Size
D050-NYLON	1/2"
D075-NYLON	3/4"
D100-NYLON	1"
D125-NYLON	1 1/4"
D150-NYLON	1 1/2"
D200-NYLON	2"
D250-NYLON	2 1/2"
D300-NYLON	3"
D400-NYLON	4"

尼龙快速接头 **Type DP**

NYLON CAMLOCK COUPLING
Dust Plug



Name	Size
DP050-NYLON	1/2"
DP075-NYLON	3/4"
DP100-NYLON	1"
DP125-NYLON	1 1/4"
DP150-NYLON	1 1/2"
DP200-NYLON	2"
DP250-NYLON	2 1/2"
DP300-NYLON	3"
DP400-NYLON	4"

		Name	Size	N.W(KGS)
德式快速接头 Type AF DIN Camlock Coupling Male Adapter X Female Thread		DIN-A075SS	3/4"	
		DIN-A100SS	1"	
		DIN-A125SS	1 1/4"	
		DIN-A150SS	1 1/2"	
		DIN-A200SS	2"	
		DIN-A250SS	2 1/2"	
		DIN-A300SS	3"	
		DIN-A400SS	4"	
		德式快速接头 Type CC DIN Camlock Coupling Female Coupler X Smooth Hose Shank		DIN-C075SS
DIN-C100SS	1"			
DIN-C125SS	1 1/4"			
DIN-C150SS	1 1/2"			
DIN-C200SS	2"			
DIN-C250SS	2 1/2"			
DIN-C300SS	3"			
DIN-C400SS	4"			
德式快速接头 Type DF DIN Camlock Coupling Female Coupler X Female Thread				DIN-D075SS
		DIN-D100SS	1"	
		DIN-D125SS	1 1/4"	
		DIN-D150SS	1 1/2"	
		DIN-D200SS	2"	
		DIN-D250SS	2 1/2"	
		DIN-D300SS	3"	
		DIN-D400SS	4"	
		德式快速接头 Type EC DIN Camlock Coupling Male Adapter X Smooth Hose Shank		DIN-E075SS
DIN-E100SS	1"			
DIN-E125SS	1 1/4"			
DIN-E150SS	1 1/2"			
DIN-E200SS	2"			
DIN-E250SS	2 1/2"			
DIN-E300SS	3"			
DIN-E400SS	4"			

	Name	Size	N.W(KGS)
不锈钢自锁式接头 Type B SELF-LOCKING CAMLOCK Type B With Self-locking Handles	AUTB050SS	1/2"	
	AUTB075SS	3/4"	
	AUTB100SS	1"	
	AUTB125SS	1 1/4"	
	AUTB150SS	1 1/2"	
	AUTB200SS	2"	
	AUTB250SS	2 1/2"	
	AUTB300SS	3"	
	AUTB400SS	4"	



不锈钢自锁式接头 Type C SELF-LOCKING CAMLOCK Type C With Self-locking Handles	AUTC050SS	1/2"	
	AUTC075SS	3/4"	
	AUTC100SS	1"	
	AUTC125SS	1 1/4"	
	AUTC150SS	1 1/2"	
	AUTC200SS	2"	
	AUTC250SS	2 1/2"	
	AUTC300SS	3"	
	AUTC400SS	4"	



不锈钢自锁式接头 Type D SELF-LOCKING CAMLOCK Type D With Self-locking Handles	AUTD050SS	1/2"	
	AUTD075SS	3/4"	
	AUTD100SS	1"	
	AUTD125SS	1 1/4"	
	AUTD150SS	1 1/2"	
	AUTD200SS	2"	
	AUTD250SS	2 1/2"	
	AUTD300SS	3"	
	AUTD400SS	4"	



不锈钢自锁式接头 Type DC SELF-LOCKING CAMLOCK Type DC With Self-locking Handles	AUTDC050SS	1/2"	
	AUTDC075SS	3/4"	
	AUTDC100SS	1"	
	AUTDC125SS	1 1/4"	
	AUTDC150SS	1 1/2"	
	AUTDC200SS	2"	
	AUTDC250SS	2 1/2"	
	AUTDC300SS	3"	
	AUTDC400SS	4"	



不锈钢异径接头

STAINLESS STEEL CAMLOCK REDUCER
AA,DD,DA,DCL,LC,AR,BR,CR,DR,ER,FR,FA & FC,90°C

Type SA SPOOL ADAPTER
Male Adapter X Male Adapter



SIZE	PART#
1"	AA100-SS/AL
1-1/4"	AA125-SS/AL
1-1/2"	AA150-SS/AL
1-1/2"X2"	AA1520-SS/AL
2"	AA200-SS/AL
2-1/2"	AA250-SS/AL
2"X2-1/2"	AA2025-SS/AL
2"X3"	AA2030-SS/AL
3"	AA300-SS/AL
3"X4"	AA3040-SS/AL
4"	AA400-SS/AL
4"X6"	AA4060-SS/AL
6"	AA600-SS/AL

Type DA D&A TYPE REDUCER
Female Coupler X Male Adapter



SIZE	PART#
1-1/2"X1"	DA1510-SS/AL
1-1/2"X2"	DA1520-SS/AL
2"X1-1/2"	DA2015-SS/AL
2"X3"	DA2030-SS/AL
2"X4"	DA2040-SS/AL
3"X1-1/2"	DA3015-SS/AL
3"X2"	DA3020-SS/AL
3"X2"-1/2"	DA3025-SS/AL
3"X4"	DA3040-SS/AL
4"X2"	DA4020-SS/AL
4"X3"	DA4030-SS/AL
4"X6"	DA4060-SS/AL
6"X4"	DA6040-SS/AL

Type DCL LOCKABLE DUST CAP
DC WITH "L"TYPE HANDLE



SIZE	PART#
1"	DCL100-SS/AL
1-1/4"	DCL125-SS/AL
1-1/2"	DCL150-SS/AL
2"	DCL200-SS/AL
3"	DCL300-SS/AL
4"	DCL400-SS/AL
6"	DCL600-SS/AL

Type DD SPOOL COUPLER
Female Coupler X Female Coupler



SIZE	PART#
1-1/2" X 1-1/2"	DD150-SS/AL
2" X 2"	DD200-SS/AL
3" X 3"	DD300-SS/AL
3" X 2"	DD3020-SS/AL
4" X 4"	DD400-SS/AL

Type AR A TYPE REDUCER
Male Adapter X Female Thread



SIZE	PART#
1-1/2"X2"	AR1520-SS/AL
2"X1-1/2"	AR2015-SS/AL
2"X3"	AR2030-SS/AL
3"X2"	AR3020-SS/AL
3"X4"	AR3040-SS/AL
4"X3"	AR4030-SS/AL
4"X6"	AR4060-SS/AL
6"X4"	AR6040-SS/AL

Type BR B TYPE REDUCER
Female Coupler X Male Thread



SIZE	PART#
1-1/2"X1"	BR1510-SS/AL
2"X1-1/2"	BR2015-SS/AL
3"X2"	BR3020-SS/AL
3"X4"	BR3040-SS/AL
4"X3"	BR4030-SS/AL

Type CR C TYPE REDUCER
Female Coupler X Hose Shank



SIZE	PART#
3/4"X1/2"	CR7550-SS/AL
1"X3/4"	CR1075-SS/AL
2"X1-1/2"	CR2015-SS/AL
3"X2"	CR3020-SS/AL
3"X4"	CR3040-SS/AL
4"X3"	CR4030-SS/AL

Type DR D TYPE REDUCER
Female Coupler X Female Thread



SIZE	PART#
1-1/2"X1"	DR1510-SS/AL
2"X1-1/2"	DR2015-SS/AL
3"X2"	DR3020-SS/AL
4"X3"	DR4030-SS/AL

Type ER E TYPE REDUCER
Male Adapter X Hose Shank



SIZE	PART#
3/4"X1/2"	ER7550-SS/AL
1"X3/4"	ER1075-SS/AL
2"X1-1/2"	ER2015-SS/AL
2"X3"	ER2030-SS/AL
3"X2"	ER3020-SS/AL
3"X4"	ER3040-SS/AL
4"X2"	ER4020-SS/AL
4"X3"	ER4030-SS/AL

Type FR F TYPE REDUCER
Male Adapter X Male Thread



SIZE	PART#
2"X1-1/2"	FR2015-SS/AL
2"X3"	FR2030-SS/AL
3"X1-1/2"	FR3015-SS/AL
3"X2"	FR3020-SS/AL
3"X4"	FR3040-SS/AL
4"X3"	FR4030-SS/AL
4"X6"	FR4060-SS/AL

90°C TYPE 90°C
90° Coupler X Hose Shank



SIZE	PART#
1"	90ELC100
1-1/4"	90ELC125
1-1/2"	90ELC150
2"	90ELC200
3"	90ELC300
4"	90ELC400
6"	90ELC600

FA & FC TYPE FA & FC
CAM & GROOVE FLANGE COUPLING



SIZE	PART#
1"	FA100& FC100
1-1/2"	FA150& FC150
2"	FA200 & FC200
3"	FA300 & FC300
4"	FA400 & FC400
5"	FA500 & FC500
6"	FA600 & FC600

Gasket 快速接头配件
NBR,EPDM,Viton,Silicone

Gasket	SIZE	Name
	1/2"	SE050-SS
	3/4"	SE075-SS
	1"	SE100-SS
	1-1/4"	SE125-SS
	1-1/2"	SE150-SS
	2"	SE200-SS
	2-1/2"	SE250-SS
	3"	SE300-SS
	4"	SE400-SS
	5"	SE500-SS
	6"	SE600-SS
	8"	SE800-SS



L Type Handles

Handles
Camlock Handles

Handles	Name	SIZE
	H050-SS	1/2"-3/4"
	H100-SS	1"
	H200-SS	1-1/4"-2-1/2"
	H300-SS	3"-4"
	H600-SS	6"

PIN
Camlock PIN

PIN	Name	SIZE
	H050-SS	1/2"-3/4"
	H100-SS	1"
	H200-SS	1-1/4"-2-1/2"
	H300-SS	3"-4"
	H600-SS	6"

TW Couplings/Tank Truck Couplings
(EN14420-6/DIN28450)

油罐车接头

TW COUPLINGS - DIN28450

TW COUPLINGS

TANK TRUCK COUPLING
DIN28450



- Standard:
- DIN28450
- Material:
- Stainless Steel 304 316
- SIZE:
- From:DN50~DN100
- TYPE:
- VK+MK+VB+MB+HYPALON GASKET
- Part #:
- TW50-TW100



Herong hose fitting with safety clamps are produced to EN14420.It contains DIN 2817 hose fitting and DIN 2817 safety clamps.
Hose fitting with male pipe thread(GA)have a smooth or serrated hose tail with a collar.
Hose fitting with union nut(GI)have a smooth or serrated tail,assembled with a nut by a sealing ring.
Safety clamps are produced to EN14420-3,size from DN13 to DN100.

Application

DIN 2817 fitting & safely clamp are used for chemical,food and drink,petrochemicals,airport refuelling,liquefied gas,etc.

Material for GA/GI

Stainless steel AISI316/AISI304 by investment casting

Features

- 1.Standards:
Safety clamps comply to standard of EN14420-3
Hose fitting GA/GI comply to standard of EN14420-5
- 2.Size:
Safety clamps available from DN13 to DN150
Hose fitting GA/GI available from 1/2" to 4"



Hose fitting with safety clamps EN 14420/DIN 2817 Safe Clamps EN 14420-3

with bolt and nut
stainless steel

安全夹



Name	Bolt&Nut	Hose OD min-Max/mm
DN13*5-SS/AL	4*M6*20	22-24
DN19*6-SS/AL	4*M6*20	30-33
DN25*6-SS/AL	4*M6*20	36-39
DN32*6-SS/AL	4*M6*20	43-46
DN38*6.5-SS/AL	4*M6*20	50-52
DN50*8-SS/AL	4*M8*25	64-67
DN63*8-SS/AL	4*M8*25	78-82
DN75*8-SS/AL	4*M8*25	89-94
DN100*8-SS/AL	4*M10*40	114-119
DN150*10-SS/AL	4*M12*50	167-173

Material and Standard for Bolts & Nuts



Bolts	Zinc plated 8.8	EN IOS 4762
	Stainless steel 304	
Nut	Zinc plated 8	EN IOS 4032
	Stainless steel 304	

	Name	Thread	Tail ϕ mm
GI with smooth tail in stainless steel	GI015SS	G1/2"	13.4
	GI020SS	G3/4"	19.4
	GI025SS	G1"	25.4
	GI032SS	G11/4"	32.4
	GI040SS	G11/2"	38.4
	GI050SS	G2"	50.4
	GI065SS	G21/2"	63.2
	GI075SS	G3"	75.4
	GI100SS	G4"	100.3



GA with smooth tail in stainless steel	GA015SS	G1/2"	13.4
	GA020SS	G3/4"	19.4
	GA025SS	G1"	25.4
	GA032SS	G11/4"	32.4
	GA040SS	G11/2"	38.4
	GA050SS	G2"	50.4
	GA065SS	G21/2"	63.2
	GA075SS	G3"	75.4
	GA100SS	G4"	100.3



GI with serraiied tail in stainless steel	GIS015SS	G1/2"	13.4
	GIS020SS	G3/4"	19.4
	GIS025SS	G1"	25.4
	GIS032SS	G11/4"	32.4
	GIS040SS	G11/2"	38.4
	GIS050SS	G2"	50.4
	GIS065SS	G21/2"	63.2
	GIS075SS	G3"	75.4
	GIS100SS	G4"	100.3



GA with serraiied tail in stainless steel	GAS015SS	G1/2"	13.4
	GAS020SS	G3/4"	19.4
	GAS025SS	G1"	25.4
	GAS032SS	G11/4"	32.4
	GAS040SS	G11/2"	38.4
	GAS050SS	G2"	50.4
	GAS065SS	G21/2"	63.2
	GAS075SS	G3"	75.4
	GAS100SS	G4"	100.3



Elbows90°	Name	SIZE
	ELB90/6SS	1/8"
	ELB90/8SS	1/4"
	ELB90/10SS	3/8"
	ELB90/15SS	1/2"
	ELB90/20SS	3/4"
	ELB90/25SS	1"
	ELB90/32SS	1 1/4"
	ELB90/40SS	1 1/2"
	ELB90/50SS	2"
	ELB90/65SS	2 1/2"
	ELB90/80SS	3"
	ELB90/100SS	4"

Elbows45°	Name	SIZE
	ELB45/6SS	1/8"
	ELB45/8SS	1/4"
	ELB45/10SS	3/8"
	ELB45/15SS	1/2"
	ELB45/20SS	3/4"
	ELB45/25SS	1"
	ELB45/32SS	1 1/4"
	ELB45/40SS	1 1/2"
	ELB45/50SS	2"
	ELB45/65SS	2 1/2"
	ELB45/80SS	3"
	ELB45/100SS	4"

Cross	Name	SIZE
	CRO6SS	1/8"
	CRO8SS	1/4"
	CRO10SS	3/8"
	CRO15SS	1/2"
	CRO20SS	3/4"
	CRO25SS	1"
	CRO32SS	1 1/4"
	CRO40SS	1 1/2"
	CRO50SS	2"
	CRO65SS	2 1/2"
	CRO80SS	3"
	CRO100SS	4"

Tees	Name	SIZE
	TEE6SS	1/8"
	TEE8SS	1/4"
	TEE10SS	3/8"
	TEE15SS	1/2"
	TEE20SS	3/4"
	TEE25SS	1"
	TEE32SS	1 1/4"
	TEE40SS	1 1/2"
	TEE50SS	2"
	TEE65SS	2 1/2"
	TEE80SS	3"
	TEE100SS	4"

Socket Banded	Name	SIZE
	SOBA6SS	1/8"
	SOBA8SS	1/4"
	SOBA10SS	3/8"
	SOBA15SS	1/2"
	SOBA20SS	3/4"
	SOBA25SS	1"
	SOBA32SS	1 1/4"
	SOBA40SS	1 1/2"
	SOBA50SS	2"
	SOBA65SS	2 1/2"
	SOBA80SS	3"
	SOBA100SS	4"

Square Plugs	Name	SIZE
	SQP6SS	1/8"
	SQP8SS	1/4"
	SQP10SS	3/8"
	SQP15SS	1/2"
	SQP20SS	3/4"
	SQP25SS	1"
	SQP32SS	1 1/4"
	SQP40SS	1 1/2"
	SQP50SS	2"
	SQP65SS	2 1/2"
	SQP80SS	3"
	SQP100SS	4"

Hexagon Head Caps	Name	SIZE
	HXHC6SS	1/8"
	HXHC8SS	1/4"
	HXHC10SS	3/8"
	HXHC15SS	1/2"
	HXHC20SS	3/4"
	HXHC25SS	1"
	HXHC32SS	1 1/4"
	HXHC40SS	1 1/2"
	HXHC50SS	2"
	HXHC65SS	2 1/2"
	HXHC80SS	3"
	HXHC100SS	4"

Street Elbows	Name	SIZE
	STEB6SS	1/8"
	STEB8SS	1/4"
	STEB10SS	3/8"
	STEB15SS	1/2"
	STEB20SS	3/4"
	STEB25SS	1"
	STEB32SS	1 1/4"
	STEB40SS	1 1/2"
	STEB50SS	2"
	STEB65SS	2 1/2"
	STEB80SS	3"
	STEB100SS	4"

Hose Nipple	Name	SIZE
	BU6SS	1/8"
	BU8SS	1/4"
	BU10SS	3/8"
	BU15SS	1/2"
	BU20SS	3/4"
	BU25SS	1"
	BU32SS	1 1/4"
	BU40SS	1 1/2"
	BU50SS	2"
	BU65SS	2 1/2"
	BU80SS	3"
	BU100SS	4"

Hexagon Nipples	Name	SIZE
	HXNP6SS	1/8"
	HXNP8SS	1/4"
	HXNP10SS	3/8"
	HXNP15SS	1/2"
	HXNP20SS	3/4"
	HXNP25SS	1"
	HXNP32SS	1 1/4"
	HXNP40SS	1 1/2"
	HXNP50SS	2"
	HXNP65SS	2 1/2"
	HXNP80SS	3"
	HXNP100SS	4"

Hexagon Nut	Name	SIZE
	HXNT6SS	1/8"
	HXNT8SS	1/4"
	HXNT10SS	3/8"
	HXNT15SS	1/2"
	HXNT20SS	3/4"
	HXNT25SS	1"
	HXNT32SS	1 1/4"
	HXNT40SS	1 1/2"
	HXNT50SS	2"
	HXNT65SS	2 1/2"
	HXNT80SS	3"
	HXNT100SS	4"

Unions M/F	Name	SIZE
	UNMF6SS	1/8"
	UNMF8SS	1/4"
	UNMF10SS	3/8"
	UNMF15SS	1/2"
	UNMF20SS	3/4"
	UNMF25SS	1"
	UNMF32SS	1 1/4"
	UNMF40SS	1 1/2"
	UNMF50SS	2"
	UNMF65SS	2 1/2"
	UNMF80SS	3"
	UNMF100SS	4"


Unions F/F	Name	SIZE
	UNFF6SS	1/8"
	UNFF8SS	1/4"
	UNFF10SS	3/8"
	UNFF15SS	1/2"
	UNFF20SS	3/4"
	UNFF25SS	1"
	UNFF32SS	1 1/4"
	UNFF40SS	1 1/2"
	UNFF50SS	2"
	UNFF65SS	2 1/2"
	UNFF80SS	3"
	UNFF100SS	4"

Welding Nipple	Name	SIZE
	WDNP6SS	1/8"
	WDNP8SS	1/4"
	WDNP10SS	3/8"
	WDNP15SS	1/2"
	WDNP20SS	3/4"
	WDNP25SS	1"
	WDNP32SS	1 1/4"
	WDNP40SS	1 1/2"
	WDNP50SS	2"
	WDNP65SS-NPT	2 1/2"
	WDNP80SS	3"
	WDNP100SS	4"


Barrell Nipple	Name	SIZE
	BANP6SS	1/8"
	BANP8SS	1/4"
	BANP10SS	3/8"
	BANP15SS	1/2"
	BANP20SS	3/4"
	BANP25SS	1"
	BANP32SS	1 1/4"
	BANP40SS	1 1/2"
	BANP50SS	2"
	BANP65SS	2 1/2"
	BANP80SS	3"
	BANP100SS	4"

Socket O.D.Mschined	Name	SIZE
	SOM6SS	1/8"
	SOM8SS	1/4"
	SOM10SS	3/8"
	SOM15SS	1/2"
	SOM20SS	3/4"
	SOM25SS	1"
	SOM32SS	1 1/4"
	SOM40SS	1 1/2"
	SOM50SS	2"
	SOM65SS	2 1/2"
	SOM80SS	3"
	SOM100SS	4"



1PC BALL VALVE	DESIGNATION	MATERIAL	SIZE	ΦD	L	H	W	S	
	HANDLE SLEEVE	PVC	1/4"	5	39	31	65	17	HEX
	HANDLE	304	3/8"	68	44	36	85	21	
	LOCKING	304	1/2"	9.2	56.5	41	95	25	
	STEM NUT	304	3/4"	12.5	59	44	95	32	
	SPRING WASHER	304	1"	15	71	48	111	38	
	STEM	304/316	1-1/4"	20	78	54	111	49	
	PACKING RING	304	1-1/2"	25	83	65	135	53	
	STEM PACKING	PTFE	2"	32	100	72	135	65	
	THRUST WASHER	PTFE	2-1/2"	38	120	880	154	83	
	CAP	CF8/CF8M	3"	50	140	100	191	98	
BODY	CF8/CF8M	4"	64	170	129	246	127		
BALL SEAT	RPTFE								
BALL	304/316								
	BALL SEAT	PTFE							
	GLAND NUT	304							
	STEM PACKING	PTFE							




1PC 2000PSI CASTING BALL VALVE	DESIGNATION	MATERIAL	SIZE	ΦD	L	H	W	S
	HANDLE SLEEVE	PVC	1\4	9.2	59	44	91	22
	HANDLE	304	3\8	9.2	59	44	91	22
	LOCKING	304	1\2	9.2	67	44	91	26
	STEM NUT	304	3\4	12.5	71	47.5	111	32
	SPRING WASHER	304	1	15	84	60	111	40
	STEM	304/316	11\4	20	94	65	126	50
	PACK RING	304	11\2	25	100	71	126	55
	STEM PACKING	PTFE	2	32	114	76.5	154	70
	THRUST WASHER	PTFE						
	BODY	CF8/CF8M						
	SEAT (A)	RPTFE						
	BALL	CF8/CF8M						
	SEAT (B)	PTFE						
INSERT	304/316							




2PC REDUCE PORT BALL VALVE	DESIGNATION	QTY	MATERIAL	ITEM	15A	20A	25A	32A	40A	50A
	BODY	1	CF8/CF8M	L	48.5	58.5	69	79	89	100.5
	CAP	1	CF8/CF8M	DN	10	15	20	25	31	39
	BALL	1	CF8/CF8M	S	25	30	38	47	53	65
	BALL SEAT	2	RPTFE	Z	21	23.5	31	33	41	47
	JOINT GASKET	1	PTFE							
	THRUST WASHER	1	PTFE							
	O-RING	2	NBR							
	STEM PACKING	1	PTFE							
	STEM	1	304/316							
	NUT	1	34							
	HANDLE	2	304							
	HANDLE SLEEVE	1	PVC							




2PC LIGHT-DUTY BALL VALVE	DESIGNATION	MATERIAL	SIZE	D	L	H	W	S
	HANDLE SLEEVE	PVC	1/4"	9.2	36	41	76	18
	HANDLE	304	3/8"	12.5	42	46	76	21
	GLAND NUT	304	1/2"	15	48	50	85	25
	STEM NUT	304	3/4"	20	58	57	95	31
	SPRING WASHER	304	1"	25	68.5	68	120	37.5
	STEM PACKING	PTFE	1-1/4"	32	80	74	120	46.5
	THRUST WASHER	PTFE	1-1/2"	38	90.5	85	150	53
	JOINT GASKET	PTFE	2"	50	109	94	150	66
	CAP	CF8/CF8M	2-1/2"	65	139	120	215	82.5
	BODY	CF8/CF8M	3"	80	157	130	215	97.5
	BALL SEAT	RPTFE	4"	100	200	160	300	127
	BALL	CF8/CF8M						
	SEAT	304/316						




2PC ECONOMICAL TYPE BALL VALVE	DESIGNATION	QTY	MATERIAL	SIZE	D	L	H	W	S
	HANDLE SLEEVE	1	PVC	1/4"	11.6	48.5	48	91	19
	HANDLE	1	304	3/8"	12.5	48.5	48	91	21
	GLAND NUT	1	304	1/2"	15	58	52	103	25.5
	STEM NUT	1	304	3/4"	20	65	61	111	31
	SPRING WASHER	1	304	1"	25	77	65	126	37.5
	STEM PACKING	1	PTFE	1-1/4"	32	90	79	154	46.5
	THRUST WASHER	1	PTFE	1-1/2"	38	98	83	154	53.5
	JOINT GASKET	1	PTFE	2"	50	121	97	192	66
	CAP	1	CF8/CF8M	2-1/2"	64	145	129	246	82.5
	BODY	1	CF8/CF8M	3"	76	166	138	246	97.5
	BALL SEAT	2	RPTFE	4"	94	240	175	317	130
	BALL	1	CF8/CF8M						
	SEAT	1	304/316						




2PC HEAVY TYPE BALL VALVE	DESIGNATION	QTY	MATERIAL	SIZE	D	L	H	W	K	T
	HANDLE SLEEVE	1	PVC	1/4"	11.6	50	48	91	28.5	12.5
	HANDLE	1	304	3/8"	12.5	50	48	91	28.5	12.5
	GLAND NUT	1	304	1/2"	15	58	52	103	28.5	13
	STEM NUT	1	304	3/4"	20	65	61	111	34.8	21
	STEM	1	304/316	1"	25	80	65	126	34.8	22.5
	SPRING WASHER	1	304	1-1/4"	32	92	79	154	38.1	23.5
	STEM PACKING	1	PTFE	1-1/2"	38	105	83	154	38.1	23.5
	THRUST WASHER	1	PTFE	2"	50	125	97	181	38.1	23.5
	JOINT GASKET	1	PTFE	2-1/2"	64	156	129	244	56	32
	CAP	1	CF8/CF8M	3"	76	183	138	244	56	35
	BODY	1	CF8/CF8M	4"	94	240	175	315	63	50
	BALL SEAT	2	RPTFE							
	BALL	1	CF8/CF8M							




2PC DIN3202-M3 BALL VALVE	DESIGNATION	MATERIAL	SIZE	D	L	H	W	S	
	HANDLE SLEEVE	PVC	1/4"	11.5	55	48	103	22	
	HANDLE	304	3/8"	12.5	60	48	103	22	
	GLAND NUT	304/316	1/2"	15	75	52	103	26	
	STEM NUT	304	3/4"	20	80	61	123	32	
	SPRING WASHER	304	1"	25	90	65	123	39	
	STEM PACKING	PTFE	1-1/4"	32	110	79	153	48.5	
	THRUST WASHER	PTFE	1-1/2"	38	120	83	153	55	
	JOINT GASKET	PTFE	2"	50	140	97	185	68	
	CAP	CF8/CF8M	2-1/2"	64	185	135	243	84	
	BODY	CF8/CF8M	3"	76	205	144	243	99	
	BALL SEAT	RPTFE	4"	94	240	166	2975	128	
	BALL	CF8/CF8M							
	STEM	304/316							




2PC BALL VALVE 2000PSI	DESIGNATION	MATERIAL	SIZE	D	L	H	W	K	S	
	HANDLE SLEEVE	PVC	1/4"	9.2	54.3	48	91	28.5	25	
	HANDLE	304	3/8"	9.2	54.3	48	91	28.5	25	
	GLAND NUT	304/316	1/2"	12.7	61	52	103	28.5	30	
	STEM NUT	304	3/4"	20	70	61	111	34.8	36	
	SPRING WASHER	304	1"	25	82	65	126	34.8	44.6	
	STEM PACKING	PTFE	1-1/4"	32	91.5	79	154	38.1	54	
	THRUST WASHER	PTFE	1-1/2"	38	113	83	154	38.1	61	
	JOINT GASKET	PTFE	2"	50	124	97	191	38.1	75	
	CAP	CF8/CF8M								
	BODY	CF8/CF8M								
	BALL SEAT	RPTFE								
	BALL	CF8/CF8M								
SEAT	304/316									




2PC BALL VALVE M/F	DESIGNATION	QTY	MATERIAL	SIZE	D	d	L	H	W	S
	HANDLE SLEEVE	1	PVC	1/4"	11.6	8	55	48	91	19
	HANDLE	1	304	3/8"	12.5	11.4	55	48	91	21
	GLAND NUT	1	304	1/2"	15	13.6	71.5	52	91	25.5
	STEM NUT	1	304	3/4"	20	18.2	78	61	111	31
	SPRING WASHER	1	304	1"	25	23	91	65	111	37.5
	STEM PACKING	1	PTFE	1-1/4"	32	32	100	79	154	46.5
	THRUST WASHER	1	PTFE	1-1/2"	38	38	12	83	154	53.5
	JOINT GASKET	1	PTFE	2"	50	48	142	97	192	66
	CAP	1	CF8/CF8M							
	BODY	1	CF8/CF8M							
	BALL SEAT	2	RPTFE							
	BALL	1	CF8/CF8M							
	STEM	1	304/316							




3PC BALL VALVE	DESIGNATION	QTY	MATERIAL	SIZE	D	L	H	W
	HANDLE SLEEVE	1	PVC	1/4"	11	50	48	103
	HANDLE	1	304	3/8"	12	50	48	103
	GLAND NUT	1	304/316	1/2"	15	60	52	103
	STEM NUT	1	304	3/4"	20	70	61	123
	STEM WASHER	1	304	1"	25	80	65	123
	STEM PACKING	1	PTFE	1-1/4"	32	93	79	153
	THRUST WASHER	1	PTFE	1-1/2"	38	100	83	153
	END CAP	2	CF8/CF8M	2"	50	125	97	185
	BOLT	4(6)	304	2-1/2"	64	158	135	246
	NUT	4(6)	304	3"	76	179	144	246
	SPRING WASHER	4(6)	304	4"	94	223	172	315
	BODY	1	CF8/CF8M					
	BALL SEAT	2	RPTFE					
	BALL	1	CF8/CF8M					
	STEM	1	304/316					
	LOCKING DEVICE	1	304					




3PC BUTT WELD BALL VALVE	DESIGNATION	QTY	MATERIAL	SIZE	φ A	φ B	φ C	φ D	L	H	W
	HANDLE SLEEVE	1	PVC	1/4"	18	14.5	10.8	10.8	60.4	48	103
	HANDLE	1	304	3/8"	19.5	15.9	11	11	60.4	48	103
	GLAND NUT	1	304	1/2"	23	19.2	15	15	66.5	52	103
	STEM NUT	1	304	3/4"	28.8	23.4	21	20	80	61	123
	SPRING WASHER	1	304	1"	34.8	28.6	26.7	25	84	65	123
	STEM PACKING	1	PTFE	1-1/4"	45	38	34	32	104	79	153
	THRUST WASHER	1	PTFE	1-1/2"	51	44	40.5	38	112	83	153
	JOINT GASKER	2	PTFE	2"	62.5	56.5	52.5	50	132	97	185
	CAP	4(6)	CF8/CF8M	2-1/2"	77	68	65	64	164	135	243
	BOLT	4(6)	304	3"	94	86	80.5	76	182.2	144	243
	BOLT NUT		304	4"	116	105	98	94	226.8	172	315
	SPRING WASHER	4(6)	304								
	BODY	1	CF8/CF8M								
	BALL SEAT	2	RPTFE								
	BALL	1	CF8/CF8M								
	STEM	1	304/316								
	LOCKING DEVICE	1	304								



3PC SOCKET WELD BALL VALVE	DESIGNATION	QTY	MATERIAL	SIZE	d	D	E	L	H	W
	HANDLE SLEEVE	1	PVC	1/4"	12	14.2	10	50	48	103
	HANDLE	1	304	3/8"	12	17.6	10	50	48	103
	GLAND NUT	1	304	1/2"	15	21.7	10	60	52	103
	STEM NUT	1	304	3/4"	20	27.1	13	70	61	123
	STEM WASHER	1	304	1"	25	33.9	13	80	65	123
	STEM PACKING	1	PTFE	1-1/4"	32	42.6	13	93	79	153
	THRUST WASHER	1	PTFE	1-1/2"	38	48.7	13	100	83	153
	JOINT GASKER	2	PTFE	2"	50	61.1	16	125	97	185
	END CAP	2	CF8/CF8M	2-1/2"	64	77	16	158	135	243
	BOLT	4(6)	304	3"	76	89.8	16	179	144	243
	NUT	4(6)	304	4"	94	115.5	19	223	172	315
	SPRING WASHER	4(6)	304							
	BODY	1	CF8/CF8M							
	BALL SEAT	2	RPTFE							
	BALL	1	CF8/CF8M							
	STEM	1	304/316							
	LOCKING DEVICE	1	304							



3PC DIN3202-M3 LENGTH BALL VALVE	DESIGNATION	QTY	MATERIAL	SIZE	D	L	H	W	SW
	HANDLE SLEEVE	1	PVC	1/4"	11.6	55	64	103	19
	HANDLE	1	304	3/8"	12.7	60	64	103	21
	GLAND NUT	1	304	1/2"	15	75	64	103	26
	STEM NUT	1	304	3/4"	20	80	73	103	31
	STEM WASHER	1	304	1"	25	90	89.2	135	38
	STEM PACKING	1	PTFE	1-1/4"	32	110	94.5	135	47
	THRUST WASHER	1	PTFE	1-1/2"	38	120	119.5	182	54
	GASKET	2	PTFE	2"	50	140	128.5	182	66
	END CAP	2	CF8/CF8M	2-1/2"	64	185	140	260	84
	BOLT	1	304	3"	76	205	147	260	99
	NUT	4	304	4"	94	240	172	400	128
	SPRING WASHER	4	304						
	BODY	1	CF8/CF8M						
	BALL SEAT	2	RPTFE						
	BALL	1	CF8/CF8M						
	STEM	1	304/316						
	LOCKING DEVICE	1	304						



1PC WAFER BALL VALVE



1PC WAFER FLANGED BALL VALVE WITH ISO5211 MOUNTING PAD



2PC ANSI FLANGED BALL VALVE



2PC DIN FLANGED BALL VALVE



3PC DIN FLANGED BALL VALVE



3PC DIN FLANGED BALL VALVE WITH ISO 5211 MOUNTING PAD



CASTING PRODUCT
精密铸造件



CASTING PRODUCT
精密铸造件



CASTING PRODUCT
精密铸造件



CASTING PRODUCT
精密铸造件



CASTING PRODUCT
精密铸造件



CASTING PRODUCT
精密铸造件



CASTING PRODUCT
精密铸造件



CASTING PRODUCT
精密铸造件



CROSS
十字通



ELBOW
弯头



RAIL END (END-IN)
栏杆支座



RAIL END
栏杆支座



STANCHION
双腿支架



CRIMPLE INSTRUMENT
锚止链器



DOOR HATCH
门插销



ANTENNA BASE
精密铸造件



GLASS SPIGOT FOR SWIMMING POOL
泳池玻璃夹



GLASS SPIGOT FOR SWIMMING POOL
泳池玻璃夹



GLASS SPIGOT FOR SWIMMING POOL
泳池玻璃夹



BRUCEANCHOP
布鲁斯锚



FOLDING ANCHOR
折叠锚



DELFTS ANCHOR
丹佛斯锚



ANCHOR-CHAIN CONNECTOR
锚链接



DOUBLE SWIVEL ANCHOR-CHAIN CONNECTOR
折叠锚链接



THROUGH HULL OUTLETS
全丝出水口



THROUGH HULL OUTLETS WITH HOSE CONNECTION
尾管出水口



DECK FILLER 60°
60° 加油口



TANK VENT
地漏



ELBOW OUTLETS
弯头出水口



TANK VENT
油箱透气口



HORN BOLLARD
板凳



HORN BOLLARD
板凳



公司设备

Production Equipment



MCHEN MACHINE PARTS CO.,LTD

**Address: Haifeng 15th Road,Wudi country ,
Shandong provice,China**

Tel: +86-18678337363

Email: sales@mchencasting.com

[www. mchencasting.com](http://www.mchencasting.com)